



ENVIROTEK LABORATORIES, INC.

33 Third Street, Bordentown, NJ 08505
PHONE 856-583-0445 www.enviroteklab.com
EPA ID # NJ01298 NJDEP ID # 03048 NY ELAP ID # 12044

TEST RESULTS

FOR

COSAN/USA

1230 N. US Hwy. 1, Unit 20, Ormond Beach, FL 32174

Pure Hydration Alkaline Antioxidant Water

NSF Standard 53, NSF Standard 42,

Chemical Reduction Tests Results after 50 gallons.



ENVIROTEK LABORATORIES, INC.

33 Third Street, Bordentown, NJ 08505
 PHONE 856-583-0445 www.enviroteklab.com
 EPA ID # NJ01298 NJDEP ID # 03048 NY ELAP ID # 12044

COSAN/USA CHEMICAL REDUCTION TEST REPORT

Report # 17-07
 Report Date: 02/11/2017
 Customer Name: Environmental Solutions 4-Life.

Heavy Metal Contaminants Results in parts per billion (ppb) (µg/L)			
Parameter	Influent Water	Filtered Water	% Reduction
Arsenic	302	<1	99.9+
Cadmium	30.1	<1	99.9+
Chromium	317	<1	99.9+
Mercury	6.1	<1	99.9+
Lead	150	<1	99.9+
Antimony	6.0	<1	99.9+
Selenium	101	<1	99.9+
Aluminum	3,280	1.6	99.9+
Copper	3,146	3.3	99.8+
Iron	3,633	22.5	98.9+
Manganese	970	4.5	99.2+
Inorganic Non-Metals Contaminants Results in ppb (µg/L)			
Parameter	Influent Water	Filtered Water	% Reduction
Chloramine	3,100	100	96.8+
Free Chlorine	2,100	100	95.2+
Nitrate	27,900	11,100	58.4+
Nitrite	2,900	400	86.2+
Pesticide Contaminants Results in ppb (µg/L)			
Parameter	Influent Water	Filtered Water	% Reduction
4,4' -DDD	50.1	<0.1	99.9+
4,4' -DDE	50.1	<0.1	99.9+
4,4' -DDT	50.2	<0.1	99.9+
Alachlor	40.5	<0.1	99.9+
Aldrin	50.1	<0.1	99.9+
Alpha-BHC	50.8	<0.1	99.9+
Ametryn	51.0	<0.1	99.9+
Atraton	50.2	<0.1	99.9+
Atrazine	9.8	<0.1	99.9+
Beta-BHC	50.9	<0.1	99.9+
Bromacil	50.2	<0.1	99.9+
Carbofuran	80.1	<0.1	99.9+
Chlordane	40.1	<0.1	99.9+
Chlorneb	50.0	<0.1	99.9+
Chlorobenzilate	50.9	<0.1	99.9+
Chlorothalonil	50.1	<0.1	99.9+
Chlorprophane	50.2	<0.1	99.9+
Chlorpyrifos	50.3	<0.1	99.9+
Cyanizene	50.1	<0.1	99.9+
Delta-BHC	50.2	<0.1	99.9+
Dichlorvos	50.1	<0.1	99.9+
Dieldrin	50.4	<0.1	99.9+
Diphenamid	51.1	<0.1	99.9+
Disulfoton	50.2	<0.1	99.9+
Endosulfan Sulfate	49.0	<0.1	99.9+
Endrin	6.1	<0.1	99.9+
Endrin Aldehyde	50.5	<0.1	99.9+
Endrin Ketone	50.0	<0.1	99.9+
Endosulfan I	49.8	<0.1	99.9+
Endosulfan II	50.2	<0.1	99.9+
Ethoprop	50.2	<0.1	99.9+
Fenamiphos	50.2	<0.1	99.9+
Fenarimol	50.2	<0.1	99.9+
Fluoridone	50.4	<0.1	99.9+
Gamma-BHC (Lindane)	2.1	<0.1	99.9+
Heptachlor	80.0	<0.1	99.9+
Heptachlor Epoxide	4.0	<0.1	99.9+



ENVIROTEK LABORATORIES, INC.

33 Third Street, Bordentown, NJ 08505
 PHONE 856-583-0445 www.enviroteklab.com
 EPA ID # NJ01298 NJDEP ID # 03048 NY ELAP ID # 12044

Pesticide Contaminants Results in ppb (µg/L)			
Parameter	Influent Water	Filtered Water	% Reduction
Methoxychlor	122	<0.1	99.9+
Molinate	50.4	<0.1	99.9+
PCB's	10.4	<0.1	99.9+
Prometon	50.1	<0.1	99.9+
Simazine	12.1	<0.1	99.9+
Toxaphene	15.1	<0.1	99.9+
Semivolatile Contaminants Results in ppb (µg/L)			
Parameter	Influent Water	Filtered Water	% Reduction
4,4'-DDD	50.1	<0.5	99.9+
Acenaphthylene	50.0	<0.5	99.9+
Anthracene	50.2	<0.5	99.9+
Benzo[a]anthracene	40.2	<0.5	99.9+
Benzo[b]fluoranthene	50.1	<0.5	99.9+
Benzo[k]fluoranthene	50.8	<0.5	99.9+
Benzo[a]pyrene	51.0	<0.5	99.9+
Benzo[g,h,i]perylene	50.2	<0.5	99.9+
Butylbenzylphthalate	9.9	<0.5	99.9+
Carboxin	50.9	<0.5	99.9+
2-Chlorobiphenyl	50.2	<0.5	99.9+
Chrysene	80.1	<0.5	99.9+
Cycloate	40.1	<0.5	99.9+
Dacthal (DCPA)	50.0	<0.5	99.9+
Diazinon	50.2	<0.5	99.9+
Dibenz[a,h]anthracene	50.1	<0.5	99.9+
Di-n-Butylphthalate	50.2	<0.5	99.9+
2,3-Dichlorobiphenyl	50.3	<0.5	99.9+
Diethylphthalate	50.1	<0.5	99.9+
Di(2-ethylhexyl)adipate	50.2	<0.5	99.9+
Di(2-ethylhexyl)phthalate	50.1	<0.5	99.9+
Dimethylphthalate	50.4	<0.5	99.9+
EPTC	51.1	<0.5	99.9+
Fluorene	50.2	<0.5	99.9+
2,2', 3,3', 4,4', 6-Heptachlorobiphenyl	49.0	<0.5	99.9+
Hexachlorobenzene	6.1	<0.5	99.9+
2,2', 4,4', 5,6'-Hexachlorobiphenyl	50.1	<0.5	99.9+
Hexachlorocyclohexane, alpha	50.0	<0.5	99.9+
Hexachlorocyclohexane, beta	50.2	<0.5	99.9+
Hexachlorocyclohexane, delta	50.2	<0.5	99.9+
Hexachlorocyclopentadiene	50.2	<0.5	99.9+
Hexazine	50.2	<0.5	99.9+
Indeno[1,2,3-c,d]pyrene	50.2	<0.5	99.9+
Fluoridone	50.4	<0.5	99.9+
Isophorone	2.1	<0.5	99.9+
Merphos	80.0	<0.5	99.9+
Methyl Paraoxon	4.0	<0.5	99.9+
Norflurazon	122	<0.5	99.9+
2,2', 3,3', 4,5', 6,6'-Octachlorobiphenyl	50.4	<0.5	99.9+
Pebulate	10.4	<0.5	99.9+
2,2', 3', 4,6'-Pentachlorobiphenyl	50.1	<0.5	99.9+
Pentachlorophenol	12.1	<0.5	99.9+
Phenanthrene	15.1	<0.5	99.9+
cis-Permethrin	50.2	<0.5	99.9+
trans-Permethrin	50.3	<0.5	99.9+
Prometon	50.4	<0.5	99.9+
Prometryn	49.1	<0.5	99.9+
Pronamide	50.5	<0.5	99.9+
Propachlor	51.2	<0.5	99.9+
Propazine	49.8	<0.5	99.9+
Triademefon	50.3	<0.5	99.9+
2,4,5-Trichlorobiphenyl	51.0	<0.5	99.9+
Tricyclazole	50.3	<0.5	99.9+
Trifluralin	50.1	<0.5	99.9+
Vernolate	50.0	<0.5	99.9+



ENVIROTEK LABORATORIES, INC.

33 Third Street, Bordentown, NJ 08505
 PHONE 856-583-0445 www.enviroteklab.com
 EPA ID # NJ01298 NJDEP ID # 03048 NY ELAP ID # 12044

Herbicide Contaminants Results in ppb (µg/L)			
Parameter	Influent Water	Filtered Water	% Reduction
Dalapon	151	<0.1	99.9+
Dicamba	150	<0.1	99.9+
Dinosep	20.1	<0.1	99.9+
Dichloroprp	150	<0.1	99.9+
2,4-D	202	<0.1	99.9+
Pentachlorophenol	10.1	<0.1	99.9+
Picoram	150	<0.1	99.9+
2,4,5-T	151	<0.1	99.9+
2,4,5-TP (Silvex)	151	<0.1	99.9+
2,4-DB	152	<0.1	99.9+
Bentazom	151	<0.1	99.9+
DCPA	150	<0.1	99.9+
Quinclorac	151	<0.1	99.9+
Aciflurfen	150	<0.1	99.9+
Volatile Contaminants Results in ppb (µg/L)			
Parameter	Influent Water	Filtered Water	% Reduction
Dichlorodifluoromethane	80.0	<0.5	99.9+
Chloromethane	80.1	<0.5	99.9+
Vinylchloride	80.3	<0.5	99.9+
Bromomethane	80.1	<0.5	99.9+
Chloroethane	80.2	<0.5	99.9+
Trichlorofluoromethane	80.1	<0.5	99.9+
1,1-Dichloroethene	81.0	<0.5	99.9+
Methylene Chloride	80.2	<0.5	99.9+
trans-1,2-Dichloroethene	80.5	1.73	97.9+
MTBE	80.2	<0.5	99.9+
1,1-Dichloroethane	81.2	<0.5	99.9+
cis-1,2-Dichloroethene	170.1	<0.5	99.9+
2,2-Dichloropropane	80.1	<0.5	99.9+
Bromochloromethane	80.0	<0.5	99.9+
Chloroform	80.1	<0.5	99.9+
Carbon Tetrachloride	81.0	<0.5	99.9+
1,1,1-Trichloroethane	80.2	<0.5	99.9+
1,1-Dichloropropene	80.2	<0.5	99.9+
Benzene	80.4	<0.5	99.9+
1,2-Dichloroethane	80.2	2.01	97.5+
Trichloroethene	180.2	<0.5	99.9+
Dibromomethane	80.1	1.61	98.0+
1,2-Dichloropropane	80.4	<0.5	99.9+
Bromodichloromethane	80.2	<0.5	99.9+
cis-1,3-Dichloropropene	50.1	<0.5	99.9+
Toluene	80.1	<0.5	99.9+
trans-1,3-Dichloropropene	80.0	<0.5	99.9+
Tetrachloroethene	80.1	<0.5	99.9+
1,1,2-Trichloroethane	150.2	<0.5	99.9+
Chlorodibromomethane	80.4	<0.5	99.9+
1,3-Dichloropropane	80.5	<0.5	99.9+
Ethylbenzene	82.0	<0.5	99.9+
Chlorobenzene	79.8	<0.5	99.9+
1,1,1,2-Tetrachloroethane	80.8	<0.5	99.9+
m-Xylene	70.2	<0.5	99.9+
o-Xylene	70.1	<0.5	99.9+
Styrene	80.0	<0.5	99.9+
Bromoform	80.2	<0.5	99.9+
Isopropylbenzene	80.3	<0.5	99.9+
n-Propylbenzene	80.2	<0.5	99.9+
Bromobenzene	80.0	<0.5	99.9+
1,1,2,2-Tetrachloroethane	81.0	<0.5	99.9+
1,3,5-Trimethylbenzene	80.5	<0.5	99.9+
2-Chlorotoluene	80.2	<0.5	99.9+
1,2,3-Trichloropropane	80.3	2.16	97.3+
4-Chlorotoluene	80.2	<0.5	99.9+
tert-Butylbenzene	80.4	<0.5	99.9+



ENVIROTEK LABORATORIES, INC.

33 Third Street, Bordentown, NJ 08505
 PHONE 856-583-0445 www.enviroteklab.com
 EPA ID # NJ01298 NJDEP ID # 03048 NY ELAP ID # 12044

Volatile Contaminants Results in ppb (µg/L)			
Parameter	Influent Water	Filtered Water	% Reduction
1,2,4-Trimethyl benzene	80.5	<0.5	99.9+
sec-Butyl benzene	80.2	<0.5	99.9+
4-Isopropyltoluene	80.2	<0.5	99.9+
1,3-Dichlorobenzene	80.3	<0.5	99.9+
1,4-Dichlorobenzene	40.0	<0.5	99.9+
n-Butyl benzene	80.2	<0.5	99.9+
1,2-Dichlorobenzene	80.1	<0.5	99.9+
Hexachlorobutadiene	45.0	2.90	93.6+
1,2,4-Trichlorobenzene	160.2	<0.5	99.9+
Naphthalene	80.2	<0.5	99.9+
1,2,3-Trichlorobenzene	80.3	<0.5	99.9+
Pharmaceutical Contaminants Results in ppb (µg/L)			
Parameter	Influent Water	Filtered Water	% Reduction
Acetaminofen	20.2	<0.1	99.9+
Caffeine	20.4	<0.1	99.9+
Carbamazepine	20.1	<0.1	99.9+
Ciprofloxacin HCl	20.2	<0.1	99.9+
Erythromycin USP	20.3	<0.1	99.9+
Sulfamethoxazole	20.2	<0.1	99.9+
Trimethoprim	20.0	<0.1	99.9+
Bisphenol A	20.1	<0.1	99.9+
Diclofenac Sodium	20.6	<0.1	99.9+
4-para-Nonylphenol	20.0	<0.1	99.9+
4-tert-Octylphenol	20.4	<0.1	99.9+
Primidone	20.8	<0.1	99.9+
Progesterone	20.2	<0.1	99.9+
Gemfibrozil	20.1	<0.1	99.9+
Ibuprofen	20.2	<0.1	99.9+
Naproxen Sodium	20.5	<0.1	99.9+
Triclosan	20.8	<0.1	99.9+
Micro-organism Contaminants in Colonies Forming Units (CFU)			
E. coli	10 ⁸	<10	99.9+
P. aeruginosa	10 ⁶	<10	99.9+
E. faecalis	10 ⁸	<10	99.9+
P. klebsiella	10 ⁸	<10	99.9+
New Jersey Laboratory Tap Water Test Results in parts per billion (ppb)			
Parameter	Influent Water	Filtered Water	% Reduction
Arsenic	<1.0	<1.0	99.9+
Barium	31.6	4.5	87.8+
Beryllium	<1.0	<1.0	99.9+
Cadmium	<1.0	<1.0	99.9+
Chromium	<1.0	<1.0	99.9+
Mercury	<1.0	<1.0	99.9+
Nickel	24.3	<1.0	99.9+
Lead	150	<1.0	99.9+
Antimony	6.0	<1.0	99.9+
Selenium	101	<1.0	99.9+
Thallium	<1.0	<1.0	99.9+
Aluminum	27.3	<1.0	99.9+
Copper	168	44.2	75.0+
Iron	158	16.5	89.6+
Manganese	5.5	<1.0	99.9+
Uranium	<1.0	<1.0	99.9+
Silver	<1.0	<1.0	99.9+
Parameter	Influent Water total % amount in 2 liters	Filtered Water total % amount in 2 liters	Beneficial Mineralization based on 2 liters of water per day.
Potassium	0.0014 %	0.029 %	Less than 1% Recommended Daily Allowance
Magnesium	0.0012 %	0.004 %	2% Recommended Daily Allowance
Sodium	0.0034 %	0.018 %	Less Than 1% Recommended Daily Allowance
Zinc	0.0004 %	0.0004 %	Less than 5% Recommended Daily Allowance



ENVIROTEK LABORATORIES, INC.

33 Third Street, Bordentown, NJ 08505
PHONE 856-583-0445 www.enviroteklab.com
EPA ID # NJ01298 NJDEP ID # 03048 NY ELAP ID # 12044

CERTIFICATION OF RESULTS:

I certify in writing that all analyses, and reporting performed herein, comply with all requirements set forth in N.J.A.C. 7:9E and N.J.A.C. 7:18, and hereby certify that this laboratory is in compliance with all laboratory certification and quality control procedures and requirements as set forth in N.J.A.C. 7:18; the NYCRR Subpart 55-2 and the National Environmental Laboratory Accreditation Conference (NELAC) Institute Standards.

Disclaimer: The test results are only related to the filter cartridge tested.

Jaime A. Young

Jaime A. Young
Lab Director